



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/550,346	09/23/2005	Kong Lim Toh	DE 030087	1325
65913	7590	08/26/2008	EXAMINER	
NXP, B.V. NXP INTELLECTUAL PROPERTY DEPARTMENT M/S41-SJ 1109 MCKAY DRIVE SAN JOSE, CA 95131			LEE, BENNY T	
			ART UNIT	PAPER NUMBER
			2817	
			NOTIFICATION DATE	DELIVERY MODE
			08/26/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ip.department.us@nxp.com

Office Action Summary	Application No. 10/550,346	Applicant(s) TOH, KONG LIM	
	Examiner Benny Lee	Art Unit 2817	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 June 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 4-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 4-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 June 2008 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2817

The disclosure is objected to because of the following informalities: Note that subheadings should be provided to delineate the different portions of the specification (e.g. --Summary of the Invention--; --Brief Description of the Drawings--; etc) for clarity of description. Appropriate correction is required.

The disclosure is objected to because of the following informalities: Page 5, lines 12, 14, 18, it is noted that "I2C" should be rewritten as --I²C-- for consistency with the labeling in FIG. 2. Note that the following reference labels appearing in the indicated drawing figure needs a corresponding specification description relative to that drawing figure: Fig. 4 (48, 50, 52, PESW). Appropriate correction is required.

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: The specification still needs to provide a corresponding description that the "second switch" is "an integrated circuit" such as recited in claim 5.

Claims 1, 4-9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, note that it is unclear whether the recitation of high and low "insertion loss" between the common port and the corresponding branch port can properly apply "in each state" as recited. That is to say, the recited high and low "insertion loss" between the common port and the corresponding branch port appears to apply to only one switch state rather than "each" switch state. Clarification is needed.

The following claims have been found objectionable for reasons set forth below:

Art Unit: 2817

In claim 8, it is noted that “I2C” should be rewritten as --I²C-- for an appropriate characterization.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 4, 5, 6, 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heckaman et al in view of Even-or (both of record).

Heckaman et al (Fig. 6) discloses a switch circuit device comprising: two input terminals (i.e. RF IN 28, RF IN 30) and an output terminal (i.e. RF OUT 35); first switches (i.e. SPST switch modules 20, 22) having first and second ports (i.e. one port is connected to the corresponding RF IN terminal; another port is connected to corresponding transmission lines 36, 38); and a second switch (i.e. SPDT module 24) having branch ports connected to corresponding SPST modules (20, 22) via corresponding transmission lines (36, 38). As known to those of ordinary skill in the art, an SPST (i.e. single pole-single throw) switch functions to provide either a high insertion loss (i.e. open) state or a low insertion loss (i.e. closed) state depending on the bias voltage (i.e. 5V/0V) applied to the transistors of the corresponding SPST switch. In a similar manner, an SPDT (i.e. single pole-double throw) switch functions to provide either a low insertion loss (i.e. closed) state to one of the branches while providing a high insertion loss (i.e. open) state to the other one of the two branches or vice versa depending on the complementary bias voltage (i.e. 5V/0V or 0V/5V) applied to the corresponding branch. Regarding claim 4, it should be noted that each one of SPST switch module comprises of a plurality of “discrete

Art Unit: 2817

electronic parts” (i.e. a plurality of transistors”. Regarding claim 5, note that Fig. 13, which is a physical realization of the switch in the fig. 6 embodiment, discloses that the switches are disposed in an “integrated circuit” configuration upon a substrate. With regard to the operation of the bias voltage being applied to the corresponding switches, note that the description at column 5, line 64 to column 6, line 2 and column 6, lines 11-21 describe how only two bias voltages or “drivers” are needed to provided the complementary bias control voltages to selectively switch the SPST & SPDT switch modules.

Note that Heckaman et al (Fig. 6) discloses the claimed invention except that the “first switches” are implemented by transistors and not by series connected PIN (i.e. switching) diodes having a driver control connected to the junction between the diodes.

However, as disclosed in an alternative realization of the switches, Heckaman et al (Fig. 3) suggests that such switches can alternatively be realized by switching PIN diodes.

Moreover, Even-or (e.g. Fig. 1A) discloses a diode switch configuration having two series connected diodes (i.e. D1, D2) connected between an input (i.e. RF_{IN}) and an output (i.e. RF_{OUT}) to thereby function in an SPST mode in response to a control signal (i.e. ON/OFF) applied to the junction (i.e. the anodes) between the diodes (D1, D2) as provided by a control driver circuit (e.g. 12, 14, 18, 20, 22), as described at column 3, lines 43-46.

Accordingly, it would have been obvious in view of the references, taken as a whole, to have modified the SPST switches in Fig. 6 in Heckaman et al with the series connected PIN diodes as taught by Even-or. Such a modification would have been considered an obvious substitution of art recognized components usable in an SPST switch, especially since Heckaman et al recognizes that PIN diodes are an equivalent type of switching element to transistors and as

Art Unit: 2817

such would have performed the equivalent function as the transistors within the context of the disclosed SPST switch, thereby suggesting the obviousness of alternatively using series connected diode switches in place of transistor switches.

Claims 8, 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over the above rejection of claims 6 & 1, respectively and further in view of Atokawa et al (of record).

As previously described, the above obviousness combination discloses the claimed SPST/SPDT switch combination, but does not disclose the use of such a switch combination in conjunction with a transceiver circuit.

Atokawa (fig. 1) discloses a transceiver circuit (i.e. transmit/receive filter 1) having two input terminals (i.e. antennas 8, 9), a tuner circuit (i.e. receive filter 3); and a switch circuit (i.e. SPDT switch (4) operatively connected to switches (6, 7) which equivalently function as SPST switches) selectively connecting the antennas (8, 9) to the tuner input (i.e. ant2).

Accordingly, it would have been obvious in view of the references, taken as a whole, to have realized the switch circuit (i.e. SPDT switch (4) in conjunction with SPST switches 6, 7) in Atokawa et al by the electrically equivalent switch in the above obviousness combination. Such a modification would have been considered an obvious substitution of art recognized equivalent switches, especially since the switch in Atokawa et al has the same electrical configuration as the switch combination set forth above, thereby suggesting the compatibility and thus the obviousness of such a modification. Moreover, as disclosed in Atokawa et al, each switch is electrically connected to a control circuit for controlling the switching state of the transceiver.

Applicant's arguments filed 17 June 2008 have been fully considered but they are not persuasive.

Art Unit: 2817

Regarding the inclusion of subheadings, as suggested by the examiner, while applicant is correct that subheading per se are not required, it is again suggested that the inclusion of such subheadings would help delineate and thus better separate the different portions of the specification.

Regarding the objection of “I2C” in the specification and claims, it is again suggested that “I2C” should be changed to --I²C-- at all appropriate occurrences to provide consistency between the specification description and the corresponding drawing figures. Regarding the objection for the lack of description of certain reference labels in Fig. 4, contrary to applicant’s assertion, it should be noted that the various descriptions alluded to applicant at page 5 of the specification only pertain to the description of “Fig. 2” and not to the description of “Fig. 4”, to which the objection in question is directed.

Regarding the lack of description in the specification that the “second switch” is an “integrated circuit”, it must be pointed out that the description alluded to by applicant at page 2 of the specification merely refers to the summary of the invention. It must be noted that no corresponding description of this aspect of the invention appears in the detail description of the invention. Clarification should be provided.

Regarding the rejection of claim 1 on 35 USC 112, second paragraph grounds, applicant has asserted that the low “insertion loss” applies to “each” switch state and thus the claim is proper, as recited. However, it must be noted that the claim appears to improperly recite that “in each state the insertion loss between one branch port and the common port is low”. That is to say, it appears that for the “one branch port”, the insertion loss remains “low” for “each” switch state (i.e. switch is ON, switch is OFF), which appears contradictory to the operation of such a

Art Unit: 2817

switch configuration (i.e. if switch is ON, insertion loss is low, if switch is OFF, insertion loss is high). Accordingly, clarification is needed. Perhaps, applicant should define the first and second switch states for the “second switch” in a manner similar to how the switch states were defined earlier for the “first switch” as a way to remedy such a deficiency.

Regarding the prior art rejection of claim 1, applicant has asserted that Heckaman et al discloses that the switches have been implemented by transistor switches and not by series connected diodes. However, as pointed out in the above rejection, Heckaman et al does suggest that diode switches can be used as an alternative to transistor switches (e.g. see Fig. 3 in Heckaman et al and the corresponding specification description thereof) and as such would have suggested the use of diode switches as an art recognized equivalent to transistor switches. Moreover, applicant has further asserted that Even-or does not disclose that a driver terminal is connected between the diodes, rather such driver circuit is connected to the ends of the two series connected diodes. Contrary to applicant’s assertion, while Even-or does disclose the ends of the two series connected diodes are connected to the driver, it must be pointed out that Even-or does disclose that the anodes (i.e. the junction between diodes D1, D2) are indeed connected to the driver terminal of the driver circuits (e.g. see disclosure at column 3, lines 43-46) such as to provide for the selective ON/OFF bias from bias selector 12 to switch element 10 (i.e. the series connected diodes D1, D2). Accordingly, the recognized equivalents between transistor switches and diode switches by Heckaman et al in conjunction with the specific series connected diodes biased at the junction would have rendered obvious the claimed invention. Regarding the rejection of claims 4-9 on prior art grounds, applicant appears to concede that these claims will rise or fall with the patentability of independent claim 1.

Art Unit: 2817

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication should be directed to Benny Lee at telephone number 571 272 1764.

**/BENNY LEE/
PRIMARY EXAMINER
ART UNIT 2817**

B. Lee